ADDAX
STERKER
Commercial Electric
Utility Vehicles &
Light Truck Solutions
PRINTED ON
100% RECYCLED PAPER
abco
THE POWER TO CLEAN
eco power®

Accelerating Sustainable Transportation with Eco-Friendly Electric Utility Vehicles

EcoPower's core purpose is to accelerate sustainable transportation by offering high-quality, reliable, and eco-friendly electric utility vehicles to businesses. We believe in the necessity of sustainable transportation for the future of our planet and aim to reduce carbon emissions while providing cost-effective solutions. Our commitment to innovation and sustainability empowers businesses to make a positive impact on the environment.

OUR BRANDS

OUR BRANDS

ADDAX

STERKER

The Rise of Electric UTVs in Australia

In Australia, industries such as mining, education, and parks/gardens have seen an increasing trend of utilising electric UTVs for their facilities. A study by the Electric Vehicle Council saw that in 2019, electric vehicle (EVs) sales increased by 200%, with 6,718 sold, and petrol/diesel vehicles sales dropped by 7.8%.

The rise of electric UTVs in businesses can be attributed to several factors, such as technological advancements, environmental concerns, and changing business needs.

These vehicles are used for transportation and play an essential role in the maintenance and operation of facilities. This guide will explore the unique needs and challenges of the mining camps, the education sector, and parks/gardens.

Some key features include:

- High-Performance Electric Motor
- Long Battery Life
- Safety Features
- Low Maintenance
- Customisability

OUR BRANDS

ADDAX VEHICLES

MT | MTX | MTN

OUR BRANDS

ADDAX VARIANTS

THE BEST IN COMMERCIAL ELECTRIC UTILITY VEHICLES, DISCOVER THE ADVANTAGES OF ADDAX

MT

Addax MT - a 100% electric utility vehicle designed for urban and industrial use. With its compact yet sturdy design, the Addax MT can handle loads of up to 1024kg and tow up to 1200kg. Its 4.5-metre turning radius makes it perfect for navigating tight spaces.

The Addax MT comes in a range of configurations, including a refrigerator truck and garbage truck. Its versatility doesn't end there as it can be easily modulated into a flatbed vehicle, hydraulic tipper, cargo, or refrigerated truck to suit your needs.

MTX

Addax MTX - the perfect electric utility vehicle for any job. With a longer chassis and increased cargo space, the MTX improves upon the already successful MTN model.

Boasting a maximum load capacity of 1024kg and a maximum power of 12kW, the MTX can handle even the toughest tasks. Its compact size of 1.40m in width makes it ideal for navigating narrow city streets, while the inclusion of springs and shock absorbers provides optimal driving comfort.

MTN

Addax MTN - a 100% electric, eco-friendly commercial vehicle designed for narrow streets and industrial use. It offers safety, sustainability, ample space, and high load capacity. With a sustainable, fireproof, and recyclable battery, it's a game-changer in electric mobility. Improved power, longer battery life, and durability make it perfect for challenging tasks. Reduce your carbon footprint and improve operations with the Addax MTN.

- Fully Customisable Utility Vehicles
- Easy On Your Pockets, And The Environment
- Cutting-edge Remote Diagnostics
- 5-year Battery Warranty

Experience the peace of mind that comes from iron-clad 5-year battery warranty. Each Addax vehicles comes with a reliable, long-lasting LiFePo4 battery that can be easily recharged. Every battery sold in our vehicles is made from ethically-sourced materials and fully recyclable.

ADDAX SPECIFICATIONS

OUR BRANDS

BATTERY	MT8n	MT15n	MT15x
Product Code	**190876**	**190874**	**190879**
Battery	7.2kWh	14.4kWh	
Battery Type	LiFePO4		LiFePO5
Tension	72V		
SPEED			
Speed	Up to 55km/h	Up to 70km/h	
AUTONOMY			
Autonomy	Up to 60km	Up to 132km	
Gradeability	30% (18%)		
Charger Type	230V 16A		
Charging Time	6h 30min		
Type of Plug	Household Socket		
Fast Charging	Available as an option		
MOTOR			
Engine Output	12kW		
Torque	120Nm		
Drive	Rear		
DIMENSIONS			
Length	3635mm		4165mm
Width	1390mm		
Height	1990mm		
Ground Clearance	300mm		
Turning Circle	4.5m		
BRAKES/SUSPENSION			
Brakes	Front Disc/Rear Disc		
Park Brake	Hand Brake		
Suspension	Helicoidal springs front & double helicoidal springs with shock absorbers rear		
LOAD CAPACITY			
Empty Weight	886kg		
Load Capacity	1024kg		
Towing Capacity	1200kg Braked		
AFTER SALES SERVICE			
Diagnostics	Yes		
Warranty Battery	5 Years/3000 cycles		

Additional Features

- Tipping Tray with High Sides
- Waste Container
- Bin Lifter
- Waste Compactor
- Cargo Box
- Refrigerated Back
- Combo Tipper
- Flat Bed
- Heating, AC & Ventilation
- Rear-View Camera
- Power Steering
- Fast Charging
- Right Hand Drive
- Revolving Light
- LED Blinking Bar
- Trailer Wiring
- Storage Box
- Spare Tyre
- 12V USB Charger
- Fire Extinguisher & Safety Kit
- High Drop Sides
- Left Net



ADDAX

ADDAX SPECIFICATIONS

OUR BRANDS

BATTERY	MT15n Tipping Container	MT15x Tipper Combo
Product Code	**190882**	**190881**
Battery	14.4kWh	
Battery Type	LiFePO6	LiFePO7
Tension	72V	
SPEED		
Speed	Up to 70km/h	
AUTONOMY		
Autonomy	Up to 132km	
Gradeability	30% (18%)	
Charger Type	230V 16A	
Charging Time	6h 30min	
Type of Plug	Household Socket	
Fast Charging	Available as an option	
MOTOR		
Engine Output	12kW	
Torque	120Nm	
Drive	Rear	
DIMENSIONS		
Length	3740mm	4330mm
Width	1390mm	1440mm
Height	1990mm	
Ground Clearance	300mm	
Turning Circle	4.5m	
BRAKES/SUSPENSION		
Brakes	Front Disc/Rear Disc	
Park Brake	Hand Brake	
Suspension	Helicoidal springs front & double helicoidal springs with shock absorbers rear	
LOAD CAPACITY		
Empty Weight	886kg	
Load Capacity	1024kg	
Towing Capacity	1200kg Braked	
AFTER SALES SERVICE		
Diagnostics	Yes	
Warranty Battery	5 Years/3000 cycles	

Additional Features

- Heating, AC & Ventilation
- Rear-View Camera
- Power Steering
- Fast Charging
- Right Hand Drive
- Revolving Light
- LED Blinking Bar
- Trailer Wiring
- Storage Box
- Spare Tyre
- 12V USB Charger
- Fire Extinguisher & Safety Kit
- High Drop Sides
- Left Net

OUR BRANDS

ADDAX SPECIFICATIONS

BATTERY	MT15n Refrigeration	MT15n Cargo
Product Code		
Battery	14.4kWh	
Battery Type	LiFePO8	
Tension	72V	
SPEED		
Speed	Up to 70km/h	
AUTONOMY		
Autonomy	Up to 132km	
Gradeability	30% (18%)	
Charger Type	230V 16A	
Charging Time	6h 30min	
Type of Plug	Household Socket	
Fast Charging	Available as an option	
MOTOR		
Engine Output	12kW	
Torque	120Nm	
Drive	Rear	
DIMENSIONS		
Length	3740mm	
Width	1390mm	
Height	1990mm	
Ground Clearance	300mm	
Turning Circle	4.5m	
BRAKES/SUSPENSION		
Brakes	Front Disc/Rear Disc	
Park Brake	Hand Brake	
Suspension	Helicoidal springs front & double helicoidal springs with shock absorbers rear	
LOAD CAPACITY		
Empty Weight	886kg	
Load Capacity	1024kg	
Towing Capacity	1200kg Braked	
AFTER SALES SERVICE		
Diagnostics	Yes	
Warranty Battery	5 Years/3000 cycles	

Additional Features

- Heating, AC & Ventilation
- Rear-View Camera
- Power Steering
- Fast Charging
- Right Hand Drive
- Revolving Light
- LED Blinking Bar
- Trailer Wiring
- Storage Box
- Spare Tyre
- 12V USB Charger
- Fire Extinguisher & Safety Kit
- High Drop Sides
- Left Net

STERKER

STERKER VEHICLES

OUR BRANDS

WILD WARRIOR	GLADIATOR	APACHE

STERKER

OUR BRANDS

STERKER VARIANTS

PERFECT FOR INDUSTRIAL, SHOPPING CENTRES, UNIVERSITIES & SCHOOLS, STADIUMS, RESORTS AND MORE.

WILD WARRIOR

Wild Warrior - the ultimate workhorse for your business needs - a powerful and efficient vehicle designed to cater to all your transportation and power tool needs. With an impressive range of up to 180km per charge and a range extender generator, this cart is perfect for long hauls. It also comes equipped with a load capacity of up to 500kg , and towing capability of up to 2 tonnes. Invest in this powerful cart and take your business to the next level!

GLADIATOR

Gladiator - the perfect solution for businesses in need of a versatile and reliable cart to get the job done. Whether you're managing a horse stud, school, university, airport, winery, golf course, resort, hobby farm, sheep station, or caravan park, the Gladiator is the ideal vehicle for your needs.

APACHE

Apache - A powerful and versatile solution for businesses. Features include an extended rear tray with electric lift, digital instrumentation, automatic park brake, strong brakes, and a durable aluminium chassis. Ideal for golf courses, landscaping, and construction sites.

Enhance Safety & Reduce Environmental Impact

Save Money

Improve Efficiency

Brand Image

Discover EcoPower: Your source for quality, eco-friendly electric utility vehicles. Tailored for businesses of all sizes and industries. Unleash the power of sustainability in your fleet. Contact us now.

STERKER

OUR BRANDS STERKER SPECIFICATIONS

BATTERY	Wild Warrior 72v 10kw	Wild Warrior 72v 7.5kw
Product Code	**190815**	**190856**
Battery	76.8v 252AH	
Battery Type	Lithium-Ion	
Tension	72V	
SPEED		
Speed	1km/h – 40km/h (can be speed limited)	
AUTONOMY		
Autonomy	180km (Load 250kg)	
Gradeability	40% (22°)	
Charger Type	Smart On-Board 72V	
Charging Time	72V / 25A – 10hrs	
Type Of Plug	Household Socket	
Fast Charging	Available as an option	
MOTOR		
Engine Output	PMSM10kw	PMSM7.5kw
Torque	100Nm	80Nm
Drive	Rear	
DIMENSIONS		
Length	3320mm	
Width	1310mm	
Height	1920mm	
Ground Clearance	300mm	
Cargo Box (L x W x H)	1270mm x 1170mm x 300mm	
Turning Circle	4.6m	
BRAKES/SUSPENSION		
Brakes	Front Disc / Rear Hub	
Park Brake	Auto	
Suspension	Multi-link 2 Independent Spring Suspension	
LOAD CAPACITY		
Empty Weight	740Kg (Including 150kg Battery)	
Load Capacity	500kg	
Towing Capacity	≤2000kg (Braked)	

Additional Features

- Range Extender Generator
- 72V 4KW (four stroke/ gasoline engine)
- Tank capacity 3 litres of oil
- Tipping Tray
- Radio/Bluetooth
- Water Proof Speakers
- Fast/Slow Switch
- Trailer Wiring
- Cruise Control
- Wet Weather Curtains
- 5000W Inverter（Optional）
- Rear Wheel Differential Lock





STERKER

STERKER SPECIFICATIONS

BATTERY	Gladiator 48V 5kW SWB	Gladiator 48V 5kW LWB	Gladiator 72V 5kW LWB
Product Code	**190842**	**190858**	**190830**
Battery	51.2V 150AH		76.8v 180AH
Battery Type	Lithium-Ion		
Tension	48V		72V
SPEED			
Speed	1km/h – 30km/h		
AUTONOMY			
Autonomy	70km – 90km (Load 250kg)		100km – 110km (Load 250kg)
Gradeability	30% (17°)		40% (22°)
Charger Type	RD Internal On-Board		
Charging Time	48V / 30A – 5hrs		72V / 25A – 7.5hrs
Type Of Plug	Household Socket		
Fast Charging	Available as an option		
MOTOR			
Engine Output	AC 5kw		PMSM 7.5kw
Torque	48Nm		80Nm
Drive	Rear		
DIMENSIONS			
Length	2800mm	3400mm	
Width	1320mm		
Height	2100mm		
Ground Clearance	350mm		
Cargo Box (L x W x H)	1000mm x 1120mm x 300mm	1600mm x 1120mm x 300mm	
Turning Circle	3.6m	4.5m	
BRAKES/SUSPENSION			
Brakes	Hydraulic Disc Brakes		
Park Brake	Auto		
Suspension	Independent Double Swing Arm Suspension		
LOAD CAPACITY			
Empty Weight	485kg (Inc 65kg Battery)	575kg (Inc 65kg Battery)	610Kg (Inc 100kg Battery)
Load Capacity	300kg	500kg	
Towing Capacity	≤1000kg (Braked)		

Additional Features

- Tipping Tray
- Fast/Slow Switch
- Wet Weather Curtains
- Rear Wheel Differential Lock
- 5000W Inverter（Optional）
- Trailer Wiring

High-Performance Electric Motor

Low Maintenance

Long Battery Life

Customisability

Safety Features

STERKER

STERKER SPECIFICATIONS

BATTERY	Apache 48V 5kW SWB	Apache 48V 5kW LWB	Apache 72V 5kW LWB
Product Code	**190851**	**190850**	**190857**
Battery	51.2V 100AH		76.8v 180AH
Battery Type	Lithium-Ion		
Tension	48V		72V
SPEED			
Speed	1km/h – 30km/h		
AUTONOMY			
Autonomy	60km – 80km (Load 250kg)		100km – 110km (Load 250kg)
Gradeability	30% (17°)		40% (22°)
Charger Type	RD Internal On-Board		
Charging Time	48V / 30A – 5hrs		72V / 25A – 7.5hrs
Type Of Plug	Household Socket		
Fast Charging	Available as an option		
MOTOR			
Engine Output	AC 5kw		PMSM 7.5kw
Torque	48Nm		80Nm
Drive	Rear		
DIMENSIONS			
Length	2800mm	3400mm	
Width	1320mm		
Height	1900mm		
Ground Clearance	200mm		
Cargo Box (L x W x H)	1000mm x 1120mm x 300mm	1600mm x 1120mm x 300mm	
Turning Circle	3.6m	4.5m	
BRAKES/SUSPENSION			
Brakes	Hydraulic Disc Brakes		
Park Brake	Auto		
Suspension	Independent Double Swing Arm Suspension		
LOAD CAPACITY			
Empty Weight	485kg (Inc 65kg Battery)	575kg (Inc 65kg Battery)	610Kg (Inc 100kg Battery)
Load Capacity	300kg	500kg	
Towing Capacity	≤1000kg (Braked)		

Additional Features

- Tipping Tray
- Fast/Slow Switch
- Wet Weather Curtains
- Trailer Wiring

High Payload Capacity

Quiet Operation

Comfort and Safety

Versatile

Eco-Friendly Operation

STERKER

OUR BRANDS STERKER SPECIFICATIONS

BATTERY	Apache 48V 5kW LWB Resort Cart	Apache 48V 5kW 4+2 People Mover	Apache 48V 5kW Golf Cart with Tray
Product Code	**190825**	**190873**	**190940 | 190941**
Battery	51.2V 100AH		
Battery Type	Lithium-Ion	or	AGM Gel
Tension	48V		
SPEED			
Speed	1km/h – 30km/h		
AUTONOMY			
Autonomy	70km – 90km (Load 250kg)		60km – 80km (Load 250kg)
Gradeability	30% (17°)		
Charger Type	RD Internal On-Board		
Charging Time	48V / 30A – 5hrs		
Type Of Plug	Household Socket		
Fast Charging	Available as an option		
MOTOR			
Engine Output	AC 5kw		
Torque	48Nm		
Drive	Rear		
DIMENSIONS			
Length	3400mm		2545mm
Width	1320mm		
Height	1900mm		
Ground Clearance	200mm		
Cargo Box (L x W x H)	1600mm x 1120mm x 900mm	N/A	900mm x 1120mm x 300mm
Turning Circle	4.5m		3.6m
BRAKES/SUSPENSION			
Brakes	Hydraulic Disc Brakes		
Park Brake	Auto		
Suspension	Independent Double Swing Arm Suspension		
LOAD CAPACITY			
Empty Weight	575kg (Inc 65kg Battery)	455kg (Inc 65kg Battery)	575Kg (Inc 100kg Battery)
Load Capacity	300kg	200kg	
Towing Capacity	≤1000kg (Braked)	N/A	

Additional Features

- Fast/Slow Switch
- Wet Weather Curtains

High Payload Capacity

Quiet Operation

Comfort and Safety

Versatile

Eco-Friendly Operation

abco

THE POWER TO CLEAN

PRINTED ON 100% RECYCLED PAPER

ecopower®

Brands

ADDAX

STERKER

Contact:

1800 316 835

sales@ecopowerequipment.com.au

ecopowerequipment.com.au

Locations:

Adelaide	507 Cross Keys Road, Cavan SA 5094
Brisbane	2-14 Prospect Place, Park Ridge QLD 4125
Melbourne	13 Prosperity Street,Truganina VIC 3029
Perth	44 John Street, Bentley WA 6102
Sydney	3B 34 Yarrunga Street,Prestons NSW 2170